


Perimeter Trims




Perimeter Trim Options

B = Box
D = Bundle


PRODUCT	DIMENSIONS (mm)				PACKING/CARTON OR BUNDLE		
	Standard length	available length	Standard Thick.	Available thick.	Kg/pc.	Pc.s	kg

L- ANGLE 20




					PAINTED STEEL WITH HEMMED EDGE		
3000	UP TO 7000	0.5	0.5	0.53	50/B	53	0.0421

L- ANGLE 25




					GALVANIZED STEEL WITH STRAIGHT EDGE		
3000	UP TO 700	0.5	0.5-1	0.578	50/D	57.8	0.0685

L- ANGLE WITH TAB




					PAINTED ALUMINUM WITH STRAIGHT EDGE		
3000	UP TO 7000	0.7	0.5-0.7	0.278	100/B	27.8	0.0421

W- ANGLE WITH TAB



					PAINTED ALUMINUM WITH STRAIGHT EDGE		
3000	UP TO 7000	0.7	0.5-0.7	0.414	100/B	41.4	0.0421

Perimeter Trims




Perimeter Trim Options

B = Box
D = Bundle


PRODUCT	DIMENSIONS (mm)				PACKING/CARTON OR BUNDLE		
	Standard length	Standard available length	Standard Thick.	Standard Available thick.	Kg/pc.	Pc.s	kg

W-SHADOW ANGLE




PAINTED ALUMINUM WITH STRAIGHT EDGE								
3000	UP TO 7000	0.7	0.5-0.7	0.414	100/B	41.4	0.0421	
PAINTED STEEL WITH STRAIGHT EDGE								
3000	UP TO 7000	0.5	0.5	0.86	100/B	86	0.0421	

C-CHANNEL 1619




PAINTED ALUMINUM WITH HEMMED EDGE								
3000	UP TO 7000	0.45	0.45	0.205	100/D	20.5	0.645	

C-CHANNEL 25




PAINTED ALUMINUM WITH STRAIGHT EDGE								
3000	UP TO 7000	0.7	0.5-0.7	0.414	48/B	41.4	0.645	

C-CHANNEL 1238



PAINTED ALUMINUM WITH STRAIGHT EDGE								
3000	UP TO 7000	0.7	0.5-0.7	0.83	20/B	8.3	-	

Perimeter Trims




Perimeter Trim Options

B = Box
D = Bundle

PRODUCT	DIMENSIONS (mm)				PACKING/CARTON OR BUNDLE		
	Standard length	Standard available length	Standard Thick.	Standard Available thick.	Kg/pc.	Pc.s	kg


C-CHANNEL 1245




					GALVANIZED STEEL WITH STRAIGHT EDGE		
3000	UP TO 7000	0.55	0.5-1	0.169	40/B	6.79	0.02

Custom Trims Options


J-ANGEL 1025




Aluminum					PAINTED ALUMINUM WITH STRAIGHT EDGE		
3000	-	0.5	0.5-0.7	0.115	20/B	2.31	0.02



BANDRASTER



		Alu. Capping	Steel Prof.	PAINTED ALUMINUM WITH STRAIGHT EDGE		
3000	0.5	0.6	0.115	20/B	2.31	0.02



Bandraster is G.I. Steel profile on 0.6mm thick capped with pre-painted aluminum in 0.5mm thick. Used for ceiling pannels joining or to separate the ceiling area on different levels.

Bandraster compatible with lay-in, clip-in, linear panels.